



## Encombrement




BDO	A	B	C	∅
80	136	151	20	77,3
100	185	205	30	98
125	185	205	30	118,1
160	230	250	36,8	148
200	275	300	45,8	189,5

## Réglages




## Sens de soufflage




## Montage D100 mm, 160 mm & 200 mm


### Extraction et soufflage




### Accessoire



Régulateur RD



Extraction




Soufflage

Côté BDO


Tipo- Type		
BDO 100	BDO 160	BDO 200
RD 15 m <sup>3</sup> /h	RD 120 m <sup>3</sup> /h	RD 240 m <sup>3</sup> /h
RD 30 m <sup>3</sup> /h	RD 150 m <sup>3</sup> /h	RD 270 m <sup>3</sup> /h
RD 45 m <sup>3</sup> /h	RD 180 m <sup>3</sup> /h	RD 300 m <sup>3</sup> /h
RD 60 m <sup>3</sup> /h	RD 210 m <sup>3</sup> /h	RD 350 m <sup>3</sup> /h
RD 75 m <sup>3</sup> /h	RD 240 m <sup>3</sup> /h	RD 400 m <sup>3</sup> /h
-	RD 270 m <sup>3</sup> /h	RD 450 m <sup>3</sup> /h
-		RD 500 m <sup>3</sup> /h

## Montage


### Extraction et soufflage



### Extraction



### Soufflage








## Accessoire



Régulateur RD BP SM

		LW (dB(A))					
BDO 80 + RD BP	Qv (m³/h)	DP (Pa)			DP (Pa)		
		20	60	100	20	60	100
		15	25	27	32	26	33
	30	26	30	35	28	40	46

## Caractéristiques

BDO	Qv (m <sup>3</sup> /h)										
		DP (Pa)	Lw (dB(A))	DP (Pa)	Lw (dB(A))	DP (Pa)	Lw (dB(A))	DP (Pa)	Lw (dB(A))	DP (Pa)	Lw (dB(A))
		80	15	2	24	1	23	2	24	3	24
30	6		24	3	23	5	24	11	24	30	26
45	12		25	7	24	11	25	23	27	66	35
60	21		27	12	26	20	28	40	34	117	44
100	15	2	<20	1	<20	1	21	2	21	4	22
	30	3	24	3	23	4	24	9	24	28	25
	45	8	25	5	25	7	26	14	28	31	30
	60	14	29	8	27	11	28	22	30	58	35
	75	29	31	12	29	18	31	36	35	99	44
125	45	4	24	3	23	5	24	10	24	28	25
	60	7	25	5	25	8	26	17	28	49	33
	75	11	27	8	27	13	28	26	32	73	39
	90	15	29	11	28	18	30	36	35	101	44
	120	39	31	18	31	31	34	63	40	-	-
160	120	13	<20	9	23	15	21	30	32	-	-
	150	18	24	12	26	18	28	35	37	-	-
	180	26	29	18	32	27	33	50	42	-	-
	200	32	32	22	34	33	37	62	44	-	-
	210	35	33	24	36	36	38	69	46	-	-
200	240	45	37	31	40	47	42	91	49	-	-
	240	30	29	20	28	32	32	59	43	-	-
	270	37	32	24	31	40	36	74	48	-	-
	300	46	36	30	34	50	39	-	-	-	-
	350	63	40	41	39	67	44	-	-	-	-

### Portée

